




**2026 Brand-new
SUNSEEKER
76 Yacht 2592676**





- Engine: Twin MAN V12 1550 (2 x 1550PS)
- Length Overall: 23.60m -- 77' 5"
- Beam (maximum): 5.95m -- 19' 6"
- Draft: 1.70m -- 5' 7"
- Displacement: 53,700 Kg -- 118,140 lb
- Fuel Capacity: 6,000 litres -- 1,585 US gal.
- Freshwater capacity: 1,400 litres -- 370 US gal.
- Blackwater capacity: 400 litres -- 106 US gal.































MASTER CABIN



FORWARD VIP CABIN





FORWARD VIP CABIN



DOUBLE CABIN
































SWIMMING PLATFORM



SWIMMING PLATFORM













Twin MAN V12 1550 (2 x 1550PS)

Beach Club Package

Marine Electric Grill fitted in a drop down work station.

Fold down platform seat.

Platform overhead shower fitted to gull wing door

Flybridge composite hardtop, including electric retractable centre canopy and aft electric awning

Flybridge hard top, sides, undersides and rear canopy to be sprayed Jet Black. Radar Scanner to be sprayed LSA Jet Black and Radar chair equipment including VHF whip aerials to be sprayed Jet Black.

Navigation Packages

"Main Navigation Console (Includes the following):• Simrad IS42 Speed/Depth Instruments x 2 with DST810 depth/speed/temperature transducer. • Simrad AP44 Autopilot system. • Two Simrad NSS16 Evo3S colour 16" Multifunction touch screen Chart Plotter displays with Simrad GS25 GPS. • Simrad Halo 2004 Pulse Compression Radar 64nm 4-foot open array radar scanner. • Simrad HS100 VHF Radio with DSC function. Flybridge Navigation Console (Includes the following):• Simrad IS42 Speed/Depth Instrument. • Simrad Autopilot repeater AP44. • See special instructions the 2 off Simrad colour Multifunctional touch screen Chart Plotter displays. • Simrad HS100 VHF Radio with DSC function."

Upgrade the standard Flybridge helm 2 off 12 inch displays to Two Simrad NSS16 Evo3S colour 16" Multifunctional touch screen Chart Plotter displays.

Searchlight

Searchlight Twin Beam dual station control

Compass Adjustment

Compass Swinging and adjustment with correction card

Air Conditioning

Air Conditioning Tropical upgrade to chillers and air handlers 153,000BTU

Add grounding plate with internal stud for dealer to connect to when converting the yachts electrics to meet the new Australian electrical regulations after the yacht has been delivered.

ElectroSea Clearline System to protect the air conditioning lines and strainers from marine growth infestation

Standard Entertainment Package

"Standard AV Package:1. Saloon with TV on fall and rise, Samsung 55" UHD Smart 4K Television. Yamaha sound bar. Velodyne Subwoofer.2. Master cabin Samsung 55" UHD Smart 4K Television. Yamaha sound bar. Velodyne Subwoofer.3. Forward cabin Samsung 43" UHD Smart 4K Television. Yamaha sound bar.4. Starboard mid guest cabin Samsung 32" HD Smart Television. 2 channel amplifier and a pair of speakers.5. Port mid guest cabin 24" HD Television with a 2 channel amplifier and a pair of speakers. Apple TV.6. Aft cockpit four 7.7" Fusion Marine waterproof speakers and Sonos Amp7. Flybridge four 7.7" Fusion Marine waterproof speakers and Sonos Amp.8. Fore deck two 7.7" Fusion Marine waterproof speakers and Sonos Amp in the Foredeck, Cockpit, Flybridge, Saloon, Master Cabin, Forward Cabin, Starboard Mid Cabin, Port Mid Cabin"

Boats Network

Standard Network system:

Peplink MAX BR1 Pro 5G router with internal antennas to provide access to the internet via 4/5G Cellular data or Marina Wi-Fi. The Pro 5G has two SIM card slots. One of these slots will have a SIM card pre-fitted, and should not be removed. The system will have the benefit of 2 years on-line and telephone support of up to 2 hours, supplied by the UK KVH distributor, CA Clase Ltd.

The fitted SIM will also allow the client to purchase data and allow the support engineers to access the boat network and troubleshoot problems. The second SIM slot will allow the client to purchase their own data SIM as required."

Security

Camera monitoring and docking system - Platform view infrared dome camera and two engine view infrared room cameras. Linked with multi switch to Navigation displays.

Galley Appliances

Custom Galley Integrated Refrigeration by Frigoboat with stainless steel interior. 250 litres fridge capacity and 120 litres freezer capacity in the Galley

Miele 4 ring touch control Ceramic Hob in the Galley

Integrated Miele microwave in the Galley

Integrated Slimline Dishwasher in the Galley

Wine cooler for 20 bottles

Instant boiling water, filtered chilled and sparkling water supply in the galley with a Quooker Flex Tap with the Pro3 Tank and the Cube unit.

Laundry

Miele washing machine combined tumble dryer in the Crew Cabin

Exterior Appliances

Refrigerator 80 litre fitted in the wet bar in the Cockpit

Marine Electric BBQ Grill on the Flybridge

Vitrifrigo stainless steel Ice Maker on the Flybridge

Top loading coolbox with refrigerated cool plate on the Flybridge

Refrigerator 80 litre fitted in the wet bar on the Flybridge

Winches

Anchor winch 3000W - 24V

Stern docking Winches fitted port and starboard in the aft Cockpit

Lighting

Low level LED side deck lights 10 per side

Stern Docking Lights

Underwater lights x 4

LED halo illumination to the SUNSEEKER boat name lettering on the flybridge overhang

Dimmer switches on interior and exterior overhead lighting

Mid Galley layout Table Lamps

Saloon table lamps - Porta Romana Small Pasteur Lamp Clear with Tall Cylinder putty silk shade GLB025

Aft Galley layout Table Lamps

Aft Galley version Saloon table lamp - Porta Romana Baobab Lamp Plaster White with 16 inch Tall Cylinder Natural linen shade

Security

Fire alarm system 2 zone. Zone one engine room heat and smoke sensor. Zone two accommodation heat and smoke sensors for the main deck and lower deck. Control panel located at the main helm station.

General Electrical

Sunseeker Cm8 integrated power management, boat monitoring and control system.

Lower helm full system access touch-screen display and dedicated fuel display on each helm."

Isolation Transformer on AC shore line connection. Provides protection against poor quality and incorrectly configured shore supplies. Enhances the corrosion protection system of the yacht and gives an amount of resilience to power fluctuations that can occur on the shore

Air Horns AFI twin trumpet Horn

Change all the electrical power sockets to the Vimar Multi socket type with a switch

Add a single switched multi power socket in Lobby under stairs cupboard for charging a hover

Add 2 off exterior double power sockets (Multi Plug Type) as seen in 2592576 Additional Exterior Double Power Sockets PDF. One in Cockpit and one in Flybridge Dining area seating

SPECIFICATION



Black and Grey water

Black Water tank 400 litres. Discharge via a either deck mounted fitting or to sea.

Grey water sump box collects shower and basin water with automatic overboard discharge

Generators

Cummins Onan Marine QD 50Hz 27kW

Second Cummins Onan Marine QD 50Hz 27kW with Glendinning Cablemaster power feed and recovery for the 230V 50 Hz 100 amp AC shorepower cable and Second 230V 50 Hz 63 amp AC shorepower socket with 20 meter cable

Systems

Engine room storage cage located above the starboard engine (not available with spa tub option)

Sleipner Vector Fin stabilisers

Fit Out

Engine room access door from Crew cabin (not possible with Voltage regulator or Shore power convertor options)

Watermakers

Preparation for future installation of a Water Maker. Seacock and outlets blanked off. Fresh water feed to tank. Power supply

Thrusters

Hydraulic Sleipner Bow thruster 23.3hp and Hydraulic Sleipner Stern Thruster 20hp with Simultaneous dual Proportional controls

Exterior options

Antifouling application

Paint Hardtop support moulding Black using LSA paint as detailed in 2432476 Hardtop support leg mouldings to be painted using LSA Black Paint PDF

Hydraulic Telescopic gangway 5 metres Stainless steel with teak treads

Flybridge Hydraulic Crane for launch and recovery of Jet Ski. 480 kg maximum lift capacity with removable stern rails

Aft flybridge sunbed moulding with storage. Folding back rests forward and aft

Spa Tub installation on the Flybridge aft deck with raised sunbathing moulding

Stainless steel flybridge stern rails with acrylic dodger screens including life raft holders

Side Mount Stairway with hull fittings port and starboard

Hydraulically lifting platform with maximum lift capacity of 550 kg.

Stainless steel ensign staff and socket

Fresh water deck wash system with outlets on Bathing Platform, Flybridge and Fore deck

Water purifier for icemaker

Anchoring

Lewmar 50Kg Delta Galvanised Anchor and 90 Metres of 12mm Galvanised anchor chain

"Mooring cleats 14"" in polished stainless steel fitted port and starboard on the fore deck and aft main deck.

Spring cleats 12"" x two sets in polished stainless steel fitted port and starboard on bulwark."

Pair of Retractable Cleats for tender on port and stbd corners of platform

Exterior Upholstery

Bow sunbathing cushions

Lower Cockpit options

Corner seating group on the forward port side of the cockpit

Lower cockpit and platform Teak Decking

Flybridge Teak Decking

Teak forward Side Decks to include the anchor deck and Seating group deck

Teak flybridge dining table with folding top fitted on a polished stainless steel leg

Teak aft cockpit table with folding top fitted on a polished stainless steel leg

Teak fore deck table with fixed top fitted on a polished stainless steel leg

Rear Camper with windows

Windscreen Cover

Flybridge Instrument Cover

Covers Package- Aft cockpit seating and Aft cockpit table cover. Foredeck seating, Foredeck sunpad and table covers. Flybridge seating, sunpad, table and helm seat covers.

Optional aft cockpit seating group covers. Corner seat, separate seat base and ottoman.

Parasol with offset post at foredeck with two sockets and dedicated stowage

Interior Wood Finish

Interior Wood Finish - Silver Oak Low build open grain Satin Finish

Layout options

Main deck open Galley with return bar - Standard configuration

Double bed standard option in the Starboard Mid Cabin

Change crew cabin layout to have 2 off single beds as detailed in 2432476 Crew Cabin beds PDF 3

Two single beds with electrically operated slider to form an occasional double in the Port Mid Cabin

Add Snib locks to all cabin doors and an additional Snib lock to the Stbd cabin bathroom door for use from the cabin side (keep standard bathroom door snib lock as well)

Wood Flooring

Wood Flooring to Saloon, dining and helm

Bed furnishings

Sprung mattress for beds in the Master Cabin the Forward Cabin the Starboard Mid Cabin and in the Port Mid Cabin

Heirlooms Bedlinen - Set of 570 thread count white Egyptian cotton Classic plain sheets for all guest cabins and cotton percale for crew. Comprising of quilted mattress protector, fitted bottom sheet, flat top sheet, and housewife and oxford style pillowcases for all berths. Crew cabin has 2 single beds and no Port twin cabin as this is now Galley

Door furniture

Master cabin door to have key lock on outside and Snib lock on inside

Safe options

Safe concealed in cabinetry (24.5 lts. W360mm x H190mm x D410mm) in the Master Cabin

Master cabin variations

Standard starboard side arrangement. Fully upholstered settee

Tinting of windows

Dark Tinted film to side windows and sliding doors

Interior items

Flybridge Helm steering wheel to be Black leather

Supply Items

Retractable boat hook

6x Docking lines. 15 metre x 20mm 3 strand black with eye on one end

1x Tender line. 10 metre x 10mm 3 strand black

8x Fenders Majoni Mega F7, 35 x 110 cm in white

8x Fender ties. 3.5 metre x 12mm 3 strand black

Hand held LED inspection lamp

Basic spare lamp kit

Basic small tool kit

8x Guest Towel sets

2x Crew Towel sets

Basic First Aid Kit

Fire Blanket. Ocean Safety FIR0022. 1.1 x 1.1 M

8x Portable dry powder fire extinguisher 1kg 5A 34B C

Leather Cleaning Kit

Mosquito screens for openable portlights

Supply loose a full set of Anodes for the yacht including Thrusters, Platform, Tabs and Stabilisers

Crockery, Cutlery and Glassware

Wedgwood white dinner set consisting of 8x dinner plates, 8x side plates, 8x soup bowls, 8x cups and saucers, 1x Teapot, 1x Cream/milk jug, 1x Sugar bowl, 1x Salt pot and 1x Pepper pot.

Robert Walsh cutlery set comprising of 8x dinner knives, 8x dinner forks, 8x Soup spoons, 8x Side knives, 8x Side forks, 8x desert spoons, 8x teaspoons and 4x serving spoons

Dartington Crystal set comprising of 8x champagne flutes, 8x whiskey tumblers

Upgrade the standard Covers Package (Includes the following):• Aft cockpit seating, Cockpit Corner seating and Aft cockpit table cover. • Foredeck seating, Foredeck sunpad and table covers. • Flybridge seating, sunpad, table and helm seat covers and Flybridge Helm cover to Weathermax 80 fabric instead of our standard Valmex fabric"

Add a AIS system (Automatic Identification System)

To meet Australian electrical regulation fit an isolation switch to the galley Hob power supply so the crew can easily switch off the power supply if required in an emergency.

Change the lower deck power sockets from 2 off USB-C to 1 off USBcand 1 off USB-A sockets as detailed in 2592576 Lower Deck USB late socket type change PDF

On teak treads on steps up to Flybridge remove the raised rubber none slip strips and replace with Black Sika fitted flush to match teak decks as seen in 2592676 Flybridge step none slip change PDF.

